

MS-ESS1-1 Earth's Place in the Universe

Students who demonstrate understanding can:

MS-ESS1-1. Develop and use a model of the Earth-sun-moon system to describe the cyclic patterns of lunar phases, eclipses of the sun and moon, and seasons. [Clarification Statement: Examples of models can be physical, graphical, or conceptual.]

The performance expectation above was developed using the following elements from the NRC document *A Framework for K-12 Science Education*:

Science and Engineering Practices

Developing and Using Models

Modeling in 6–8 builds on K–5 experiences and progresses to developing, using, and revising models to describe, test, and predict more abstract phenomena and design systems.

- Develop and use a model to describe phenomena.

Disciplinary Core Ideas

ESS1.A: The Universe and Its Stars

- Patterns of the apparent motion of the sun, the moon, and stars in the sky can be observed, described, predicted, and explained with models.

ESS1.B: Earth and the Solar System

- This model of the solar system can explain eclipses of the sun and the moon. Earth's spin axis is fixed in direction over the short-term but tilted relative to its orbit around the sun. The seasons are a result of that tilt and are caused by the differential intensity of sunlight on different areas of Earth across the year.

Crosscutting Concepts

Patterns

- Patterns can be used to identify cause-and-effect relationships.

Connections to Nature of Science

Scientific Knowledge Assumes an Order and Consistency in Natural Systems

- Science assumes that objects and events in natural systems occur in consistent patterns that are understandable through measurement and observation.

Observable features of the student performance by the end of the course:

1	Components of the model																
a	To make sense of a given phenomenon involving, students develop a model (e.g., physical, conceptual, graphical) of the Earth-moon-sun system in which they identify the relevant components, including: <table border="1"> <tr> <td>i.</td> <td>Earth, including the tilt of its axis of rotation.</td> </tr> <tr> <td>ii.</td> <td>Sun.</td> </tr> <tr> <td>iii.</td> <td>Moon.</td> </tr> <tr> <td>iv.</td> <td>Solar energy.</td> </tr> </table>	i.	Earth, including the tilt of its axis of rotation.	ii.	Sun.	iii.	Moon.	iv.	Solar energy.								
i.	Earth, including the tilt of its axis of rotation.																
ii.	Sun.																
iii.	Moon.																
iv.	Solar energy.																
b	Students indicate the accuracy of size and distance (scale) relationships within the model, including any scale limitations within the model.																
2	Relationships																
a	In their model, students describe* the relationships between components, including: <table border="1"> <tr> <td>i.</td> <td>Earth rotates on its tilted axis once an Earth day.</td> </tr> <tr> <td>ii.</td> <td>The moon rotates on its axis approximately once a month.</td> </tr> <tr> <td>iii.</td> <td>Relationships between Earth and the moon: <table border="1"> <tr> <td>1.</td> <td>The moon orbits Earth approximately once a month.</td> </tr> <tr> <td>2.</td> <td>The moon rotates on its axis at the same rate at which it orbits Earth so that the side of the moon that faces Earth remains the same as it orbits.</td> </tr> <tr> <td>3.</td> <td>The moon's orbital plane is tilted with respect to the plane of the Earth's orbit around the sun.</td> </tr> </table> </td> </tr> <tr> <td>iv.</td> <td>Relationships between the Earth-moon system and the sun: <table border="1"> <tr> <td>1.</td> <td>Earth-moon system orbits the sun once an Earth year.</td> </tr> </table> </td> </tr> </table>	i.	Earth rotates on its tilted axis once an Earth day.	ii.	The moon rotates on its axis approximately once a month.	iii.	Relationships between Earth and the moon: <table border="1"> <tr> <td>1.</td> <td>The moon orbits Earth approximately once a month.</td> </tr> <tr> <td>2.</td> <td>The moon rotates on its axis at the same rate at which it orbits Earth so that the side of the moon that faces Earth remains the same as it orbits.</td> </tr> <tr> <td>3.</td> <td>The moon's orbital plane is tilted with respect to the plane of the Earth's orbit around the sun.</td> </tr> </table>	1.	The moon orbits Earth approximately once a month.	2.	The moon rotates on its axis at the same rate at which it orbits Earth so that the side of the moon that faces Earth remains the same as it orbits.	3.	The moon's orbital plane is tilted with respect to the plane of the Earth's orbit around the sun.	iv.	Relationships between the Earth-moon system and the sun: <table border="1"> <tr> <td>1.</td> <td>Earth-moon system orbits the sun once an Earth year.</td> </tr> </table>	1.	Earth-moon system orbits the sun once an Earth year.
i.	Earth rotates on its tilted axis once an Earth day.																
ii.	The moon rotates on its axis approximately once a month.																
iii.	Relationships between Earth and the moon: <table border="1"> <tr> <td>1.</td> <td>The moon orbits Earth approximately once a month.</td> </tr> <tr> <td>2.</td> <td>The moon rotates on its axis at the same rate at which it orbits Earth so that the side of the moon that faces Earth remains the same as it orbits.</td> </tr> <tr> <td>3.</td> <td>The moon's orbital plane is tilted with respect to the plane of the Earth's orbit around the sun.</td> </tr> </table>	1.	The moon orbits Earth approximately once a month.	2.	The moon rotates on its axis at the same rate at which it orbits Earth so that the side of the moon that faces Earth remains the same as it orbits.	3.	The moon's orbital plane is tilted with respect to the plane of the Earth's orbit around the sun.										
1.	The moon orbits Earth approximately once a month.																
2.	The moon rotates on its axis at the same rate at which it orbits Earth so that the side of the moon that faces Earth remains the same as it orbits.																
3.	The moon's orbital plane is tilted with respect to the plane of the Earth's orbit around the sun.																
iv.	Relationships between the Earth-moon system and the sun: <table border="1"> <tr> <td>1.</td> <td>Earth-moon system orbits the sun once an Earth year.</td> </tr> </table>	1.	Earth-moon system orbits the sun once an Earth year.														
1.	Earth-moon system orbits the sun once an Earth year.																

		2. Solar energy travels in a straight line from the sun to Earth and the moon so that the side of Earth or the moon that faces the sun is illuminated.
		3. Solar energy reflects off of the side of the moon that faces the sun and can travel to Earth.
		4. The distance between Earth and the sun stays relatively constant throughout the Earth's orbit.
		5. Solar energy travels in a straight line from the sun and hits different parts of the curved Earth at different angles — more directly at the equator and less directly at the poles.
		6. The Earth's rotation axis is tilted with respect to its orbital plane around the sun. Earth maintains the same relative orientation in space, with its North Pole pointed toward the North Star throughout its orbit.
3	Connections	
	a	Students use patterns observed from their model to provide causal accounts for events, including:
		i. Moon phases:
		1. Solar energy coming from the sun bounces off of the moon and is viewed on Earth as the bright part of the moon.
		2. The visible proportion of the illuminated part of the moon (as viewed from Earth) changes over the course of a month as the location of the moon relative to Earth and the sun changes.
		3. The moon appears to become more fully illuminated until "full" and then less fully illuminated until dark, or "new," in a pattern of change that corresponds to what proportion of the illuminated part of the moon is visible from Earth.
		ii. Eclipses:
		1. Solar energy is prevented from reaching the Earth during a solar eclipse because the moon is located between the sun and Earth.
		2. Solar energy is prevented from reaching the moon (and thus reflecting off of the moon to Earth) during a lunar eclipse because Earth is located between the sun and moon.
		3. Because the moon's orbital plane is tilted with respect to the plane of the Earth's orbit around the sun, for a majority of time during an Earth month, the moon is not in a position to block solar energy from reaching Earth, and Earth is not in a position to block solar energy from reaching the moon.
		iii. Seasons:
		1. Because the Earth's axis is tilted, the most direct and intense solar energy occurs over the summer months, and the least direct and intense solar energy occurs over the winter months.
		2. The change in season at a given place on Earth is directly related to the orientation of the tilted Earth and the position of Earth in its orbit around the sun because of the change in the directness and intensity of the solar energy at that place over the course of the year.
		a. Summer occurs in the Northern Hemisphere at times in the Earth's orbit when the northern axis of Earth is tilted toward the sun. Summer occurs in the Southern Hemisphere at times in the Earth's orbit when the southern axis of Earth is tilted toward the sun.
		b. Winter occurs in the Northern Hemisphere at times in the Earth's orbit when the northern axis of Earth is tilted away from the sun. Summer occurs in the Southern Hemisphere at times in the Earth's orbit when the southern axis of Earth is tilted away from the sun.
	b	Students use their model to predict:
		i. The phase of the moon when given the relative locations of the Earth, sun, and moon.
		ii. The relative positions of the Earth, sun, and moon when given a moon phase.
		iii. Whether an eclipse will occur, given the relative locations of the Earth, sun, and moon and a position on Earth from which the moon or sun can be viewed (depending on the type of eclipse).
		iv. The relative positions of the Earth, sun, and moon, given a type of eclipse and a position on Earth from which the moon/sun can be viewed.

	v. The season on Earth, given the relative positions of Earth and the sun (including the orientation of the Earth's axis) and a position on Earth.
	vi. The relative positions of Earth and the sun when given a season and a relative position (e.g. far north, far south, equatorial) on Earth.

MS-ESS1-2 Earth's Place in the Universe

Students who demonstrate understanding can:

MS-ESS1-2. Develop and use a model to describe the role of gravity in the motions within galaxies and the solar system. [Clarification Statement: Emphasis for the model is on gravity as the force that holds together the solar system and Milky Way galaxy and controls orbital motions within them. Examples of models can be physical (such as the analogy of distance along a football field or computer visualizations of elliptical orbits) or conceptual (such as mathematical proportions relative to the size of familiar objects such as students' school or state).] [Assessment Boundary: Assessment does not include Kepler's Laws of orbital motion or the apparent retrograde motion of the planets as viewed from Earth.]

The performance expectation above was developed using the following elements from the NRC document *A Framework for K-12 Science Education*:

Science and Engineering Practices

Developing and Using Models

Modeling in 6–8 builds on K–5 experiences and progresses to developing, using, and revising models to describe, test, and predict more abstract phenomena and design systems.

- Develop and use a model to describe phenomena.

Disciplinary Core Ideas

ESS1.A: The Universe and Its Stars

- Earth and its solar system are part of the Milky Way galaxy, which is one of many galaxies in the universe.

ESS1.B: Earth and the Solar System

- The solar system consists of the sun and a collection of objects, including planets, their moons, and asteroids that are held in orbit around the sun by its gravitational pull on them.
- The solar system appears to have formed from a disk of dust and gas, drawn together by gravity.

Crosscutting Concepts

Systems and System Models

- Models can be used to represent systems and their interactions.

Connections to Nature of Science

Scientific Knowledge Assumes an Order and Consistency in Natural Systems

- Science assumes that objects and events in natural systems occur in consistent patterns that are understandable through measurement and observation.

Observable features of the student performance by the end of the course:

1	Components of the model
a	To make sense of a given phenomenon, students develop a model in which they identify the relevant components of the system, including: <ol style="list-style-type: none"> Gravity. The solar system as a collection of bodies, including the sun, planets, moons, and asteroids. The Milky Way galaxy as a collection of stars (e.g., the sun) and their associated systems of objects. Other galaxies in the universe
b	Students indicate the relative spatial scales of solar systems and galaxies in the model.
2	Relationships
a	Students describe* the relationships and interactions between components of the solar and galaxy systems, including: <ol style="list-style-type: none"> Gravity as an attractive force between solar system and galaxy objects that: <ol style="list-style-type: none"> Increases with the mass of the interacting objects increases. Decreases as the distances between objects increases. The orbital motion of objects in our solar system (e.g., moons orbit around planets, all objects within the solar system orbit the sun). The orbital motion, in the form of a disk, of vast numbers of stars around the center of the Milky Way. That our solar system is one of many systems orbiting the center of the larger system of the Milky Way galaxy.

	v. The Milky Way is one of many galaxy systems in the universe.
3	Connections
a	Students use the model to describe* that gravity is a predominantly inward-pulling force that can keep smaller/less massive objects in orbit around larger/more massive objects.
b	Students use the model to describe* that gravity causes a pattern of smaller/less massive objects orbiting around larger/more massive objects at all system scales in the universe, including that: <ul style="list-style-type: none"> i. Gravitational forces from planets cause smaller objects (e.g., moons) to orbit around planets. ii. The gravitational force of the sun causes the planets and other bodies to orbit around it, holding the solar system together. iii. The gravitational forces from the center of the Milky Way cause stars and stellar systems to orbit around the center of the galaxy. iv. The hierarchy pattern of orbiting systems in the solar system was established early in its history as the disk of dust and gas was driven by gravitational forces to form moon-planet and planet-sun orbiting systems.
c	Students use the model to describe* that objects too far away from the sun do not orbit it because the sun's gravitational force on those objects is too weak to pull them into orbit.
d	Students use the model to describe* what a given phenomenon might look like without gravity (e.g., smaller planets would move in straight paths through space, rather than orbiting a more massive body).

MS-ESS1-3 Earth's Place in the Universe

Students who demonstrate understanding can:

MS-ESS1-3. Analyze and interpret data to determine scale properties of objects in the solar system. [Clarification Statement: Emphasis is on the analysis of data from Earth-based instruments, space-based telescopes, and spacecraft to determine similarities and differences among solar system objects. Examples of scale properties include the sizes of an object's layers (such as crust and atmosphere), surface features (such as volcanoes), and orbital radius. Examples of data include statistical information, drawings and photographs, and models.] [Assessment Boundary: Assessment does not include recalling facts about properties of the planets and other solar system bodies.]

The performance expectation above was developed using the following elements from the NRC document *A Framework for K-12 Science Education*:

Science and Engineering Practices

Analyzing and Interpreting Data

Analyzing data in 6–8 builds on K–5 experiences and progresses to extending quantitative analysis to investigations, distinguishing between correlation and causation, and basic statistical techniques of data and error analysis.

- Analyze and interpret data to determine similarities and differences in findings.

Disciplinary Core Ideas

ESS1.B: Earth and the Solar System

- The solar system consists of the sun and a collection of objects, including planets, their moons, and asteroids that are held in orbit around the sun by its gravitational pull on them.

Crosscutting Concepts

Scale, Proportion, and Quantity

- Time, space, and energy phenomena can be observed at various scales using models to study systems that are too large or too small.

Connections to Engineering, Technology, and Applications of Science

Interdependence of Science, Engineering, and Technology

- Engineering advances have led to important discoveries in virtually every field of science and scientific discoveries have led to the development of entire industries and engineered systems.

Observable features of the student performance by the end of the course:

1	Organizing data
	<p>a Students organize given data on solar system objects (e.g., surface features, object layers, orbital radii) from various Earth- and space-based instruments to allow for analysis and interpretation (e.g., transforming tabular data into pictures, diagrams, graphs, or physical models that illustrate changes in scale).</p> <p>b Students describe* that different representations illustrate different characteristics of objects in the solar system, including differences in scale.</p>
2	Identifying relationships
	<p>a Students use quantitative analyses to describe* similarities and differences among solar system objects by describing* patterns of features of those objects at different scales, including:</p>
	i. Distance from the sun.
	ii. Diameter.
	iii. Surface features (e.g., sizes of volcanoes).
	iv. Structure.
v. Composition (e.g., ice versus rock versus gas).	

	b	Students identify advances in solar system science made possible by improved engineering (e.g., knowledge of the evolution of the solar system from lunar exploration and space probes) and new developments in engineering made possible by advances in science (e.g., space-based telescopes from advances in optics and aerospace engineering).
3	Interpreting data	
	a	Students use the patterns they find in multiple types of data at varying scales to draw conclusions about the identifying characteristics of different categories of solar system objects (e.g., planets, meteors, asteroids, comets) based on their features, composition, and locations within the solar system (e.g., most asteroids are rocky bodies between Mars and Jupiter, while most comets reside in orbits farther from the sun and are composed mostly of ice).
	b	Students use patterns in data as evidence to describe* that two objects may be similar when viewed at one scale (e.g., types of surface features) but may appear to be quite different when viewed at a different scale (e.g., diameter or number of natural satellites).
	c	Students use the organization of data to facilitate drawing conclusions about the patterns of scale properties at more than one scale, such as those that are too large or too small to directly observe.

MS-ESS1-4 Earth's Place in the Universe

Students who demonstrate understanding can:

MS-ESS1-4. Construct a scientific explanation based on evidence from rock strata for how the geologic time scale is used to organize Earth's 4.6-billion-year-old history. [Clarification Statement: Emphasis is on how analyses of rock formations and the fossils they contain are used to establish relative ages of major events in Earth's history. Examples of Earth's major events could range from being very recent (such as the last Ice Age or the earliest fossils of homo sapiens) to very old (such as the formation of Earth or the earliest evidence of life). Examples can include the formation of mountain chains and ocean basins, the evolution or extinction of particular living organisms, or significant volcanic eruptions.] [Assessment Boundary: Assessment does not include recalling the names of specific periods or epochs and events within them.]

The performance expectation above was developed using the following elements from the NRC document *A Framework for K-12 Science Education*:

Science and Engineering Practices

Constructing Explanations and Designing Solutions

Constructing explanations and designing solutions in 6–8 builds on K–5 experiences and progresses to include constructing explanations and designing solutions supported by multiple sources of evidence consistent with scientific ideas, principles, and theories.

- Construct a scientific explanation based on valid and reliable evidence obtained from sources (including the students' own experiments) and the assumption that theories and laws that describe the natural world operate today as they did in the past and will continue to do so in the future.

Disciplinary Core Ideas

ESS1.C: The History of Planet Earth

- The geologic time scale interpreted from rock strata provides a way to organize Earth's history. Analyses of rock strata and the fossil record provide only relative dates, not an absolute scale.

Crosscutting Concepts

Scale, Proportion, and Quantity

- Time, space, and energy phenomena can be observed at various scales using models to study systems that are too large or too small.

Observable features of the student performance by the end of the course:

1	Articulating the explanation of phenomena		
	a	Students articulate a statement that relates the given phenomenon to a scientific idea, including how events in the Earth's 4.6 billion-year-old history are organized relative to one another using the geologic time scale.	
	b	Students use evidence and reasoning to construct an explanation. In their explanation, students describe* how the relative order of events is determined on the geologic time scale using: <ol style="list-style-type: none"> Rock strata and relative ages of rock units (e.g., patterns of layering). Major events in the Earth's history and/or specific changes in fossils over time (e.g., formation of mountain chains, formation of ocean basins, volcanic eruptions, glaciations, asteroid impacts, extinctions of groups of organism). 	
2	Evidence		
	a	Students identify and describe* the evidence necessary for constructing the explanation, including: <ol style="list-style-type: none"> Types and order of rock strata. The fossil record. Identification of and evidence for major event(s) in the Earth's history (e.g., volcanic eruptions, asteroid impacts, etc.). 	
		b	
		Students use multiple valid and reliable sources of evidence, which may include students' own experiments.	
Reasoning			

3	a	Students use reasoning, along with the assumption that theories and laws that describe the natural world operate today as they did in the past and will continue to do so in the future, to connect the evidence and support an explanation for how the geologic time scale is used to construct a timeline of the Earth's history. Students describe* the following chain of reasoning for their explanation:
	i.	Unless they have been disturbed by subsequent activity, newer rock layers sit on top of older rock layers, allowing for a relative ordering in time of the formation of the layers (i.e., older sedimentary rocks lie beneath younger sedimentary rocks).
	ii.	Any rocks or features that cut existing rock strata are younger than the rock strata that they cut (e.g., a younger fault cutting across older, existing rock strata).
	iii.	The fossil record can provide relative dates based on the appearance or disappearance of organisms (e.g., fossil layers that contain only extinct animal groups are usually older than fossil layers that contain animal groups that are still alive today, and layers with only microbial fossils are typical of the earliest evidence of life).
	iv.	Specific major events (e.g., extensive lava flows, volcanic eruptions, asteroid impacts) can be used to indicate periods of time that occurred before a given event from periods that occurred after it.
	v.	Using a combination of the order of rock layers, the fossil record, and evidence of major geologic events, the relative time ordering of events can be constructed as a model for Earth's history, even though the timescales involved are immensely vaster than the lifetimes of humans or the entire history of humanity.